



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/822,275	04/08/2004	Jeffery W. Janzen	501286.01 (30262/US)	2177

7590 11/20/2007  
Edward W. Bulchis, Esq.  
DORSEY & WHITNEY LLP  
Suite 3400  
1420 Fifth Avenue  
Seattle, WA 98101

EXAMINER

WALTER, CRAIG E

ART UNIT	PAPER NUMBER
----------	--------------

2188

MAIL DATE	DELIVERY MODE
-----------	---------------

11/20/2007

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

# Office Action Summary

Application No.

10/822,275

Applicant(s)

JANZEN, JEFFERY W.

Examiner

Craig E. Walter

Art Unit

2188

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

## Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

## Status

- 1) ☒ Responsive to communication(s) filed on 04 September 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

## Disposition of Claims

- 4) ☒ Claim(s) 1-30 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1-30 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

## Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

## Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some \* c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
  - ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

## Attachment(s)

- |   |   |
|---|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892)  | 4) <input type="checkbox"/> Interview Summary (PTO-413)<br>Paper No(s)/Mail Date. _____ |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)  | 5) <input type="checkbox"/> Notice of Informal Patent Application                       |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08)<br>Paper No(s)/Mail Date <u>9/4/07; 7/10/07; 5/24/07</u> . | 6) <input type="checkbox"/> Other: _____  |

## **DETAILED ACTION**

### ***Status of Claims***

1. Claims 1-30 are pending in the Application.  
Claims 10, 14, 21, 26, 27, and 29 are amended.  
Claims 1-30 are rejected.

### ***Response to Amendment***

2. Applicant's amendments and arguments filed on 4 September 2007 in response to the office action mailed on 31 May 2007 have been fully considered, but they are not persuasive. Therefore, the rejections made in the previous office action are maintained, and restated below, with changes as needed to address the amendments.

### ***Information Disclosure Statement***

3. The three information disclosure statements (IDS) submitted on 24 May 2007, 10 July 2007, and 4 September 2007 were fully considered by Examiner.

### ***Claim Rejections - 35 USC § 112***

The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

4. Claims 8 and 19 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

Claims 8 and 19 recite the limitation "the data bus" in line 2 of the claim. There is insufficient antecedent basis for this limitation in the claim, as a plurality of data busses are previously set forth in these claims (i.e. each memory device includes a data bus). Which bus is being referenced by the phrase "the bus" in these claims?

***Claim Rejections - 35 USC § 103***

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 1-30 are rejected under 35 U.S.C. 103(a) as being unpatentable over Ryan (US PG Publication 2004/0044833 A1), in further view of Schumacher et al. (US Patent 5,502,621), hereinafter Schumacher.

As for claims 1, 10, 21, and 26, Ryan teaches a memory module comprising:

- a data input device (Fig. 3 (311));
- a data output device (Fig. 3 (312));
- a processor coupled to the data input and data output devices (Fig. 3 (304));
- memory modules comprising:

a circuit board (Fig. 3 (201));  
a plurality of memory devices positioned around a memory hub (Fig. 3 (memory devices (212, 214, ...); hub (208))) on the same side of a circuit board; and  
an edge connector positioned along an edge of the circuit board (paragraph 0006, all lines – Ryan discusses DIMM devices which contain edge connectors – see also claim 12 of Ryan).

Despite these teachings Ryan fails to teach each memory device being positioned in a pairs, in which the paired devices are arranged such that each respective device has the same pinout, yet one is rotated 180 degrees with respect to the board such that first and second sets of functional pins are adjacent (and substantially abutting) to each other.

Schumacher however teaches arranging ICs in a paired configuration such that one device is rotated 180 degrees with respect to the board – Fig. 4, devices 410 and 415 are ICs with the same pinout, just mirrored with respect to the vertical axis (i.e. 180 degree rotation). Schumacher teaches this configuration in order to keep similar functional pin groupings together (col. 3, lines 40-56). Note Schumacher teaches pairs of ICs that substantially abut each other (see Fig. 4).

It would have been obvious to one of ordinary skill in the art at the time of the invention for Ryan to further include Schumacher's system of mirrored pin assignment for two sided multi-chip layout into his own system and method for optimizing interconnections of memory devices in a multichip module. By doing so, Ryan would be

Art Unit: 2188

able to connect the memory devices of his memory system with a more simplified lead routing scheme, which in turn would lead to a reduction of the number of layers in the PCB as taught by Schumacher in col. 2 lines 35-39.

As for claims 3, 12, and 22, Ryan teaches the memory module of claim 1 wherein the memory devices comprise DRAMs (paragraph 0004, all lines).

As for claim 23, Ryan teaches the computer system of claim 21 wherein the memory modules are coupled in a daisy chain manner to the controller (referring to Fig. 4, each memory module (201, 302) is connected to the controller (not shown in this figure, but shown in Fig. 2 (200), in a daisy chained fashion via a connecting bus (401))).

As for claim 24, Ryan teaches the computer system of claim 21 wherein the high-speed data link comprises an optical communications link (paragraph 0019, all lines).

As for claim 29, Ryan teaches the method of claim 26 wherein a data bus is routed between the hub and each device, and wherein signal lines of the data bus are routed substantially parallel edges of the circuit board (referring to Fig. 2, each bus (230, 232) is routed parallel with the edges of the board).

As for claim 30, the Ryan discloses the method of claim 26 wherein a control-address bus is routed between the hub and one device in each pair (Fig. 2, each bus is routed to one device. The bus contains control and data signals), and wherein signal lines of the control-address bus as being routed diagonally outward from the hub towards corners of the circuit board (though Ryan does not explicitly teach signal lines of the control-address bus are routed diagonally outward from the hub towards corners

Art Unit: 2188

of the circuit board, such a limitation is merely a matter of design choice and would have been obvious in the system of Ryan. The mere routing of the signal lines (either orthogonally, or diagonally) fails to define a patentably distinct invention over Ryan since both the instant invention as a whole, and Ryan's teachings are directed to optimizing the connections in multi-chip modules).

As for claims 4 and 13, Ryan teaches a DIMM device (which contains connectors on the edges of both sides of the board – paragraph 0006, all lines and claim 12 of Ryan).

As for claims 7, 9, 18, 20 and 25, Ryan teaches module includes eight pairs of memory devices, they fail to teach four pairs positioned on a front side of the circuit board and four pairs positioned on a back side of the circuit board, each pair on the front side being positioned adjacent a corresponding pair on the back side, and wherein the eight pairs of memory devices comprise a single rank on the memory module (Ryan discloses a DIMM device with varying number of chips – paragraph 0006, all lines and claim 12 of Ryan. A DIMM device by definition contains memory devices on both sides of a PCB).

As for claims 8 and 19, though Ryan in fact teaches a memory bus which is 64 bits wide (paragraph 0008, all lines)), he fails to specifically teach a bus with half of them as 4-bits wide, and the remaining half 5-bits wide as recited in these claims. It would however have been obvious to one of ordinary skill in the art for Ryan to use a bus for his memory containing more or less than 64 bits (i.e. half of them with a 4-bit wide bus, and half with a 5-bit bus). Ryan's system would benefit using a smaller bus

width bits by increasing the aerial density of his PCB, since less trace lines would be required to transfer data between the memory and the hub. The limitation of using a 4-bit or 5-bit wide memory bus (rather than 64 as expressly taught by Ryan) fails to define a patentably distinct invention over Ryan, since both the instant invention as a whole and Ryan's teachings are directed to optimizing the connections in multi-chip modules.

As for claims 6 and 15, though Ryan fails to specifically teach a memory bus as being 9-bits wide (he in fact teaches a memory bus, which is 64 bits wide (paragraph 0008, all lines)), it would have been obvious to one of ordinary skill in the art for Ryan to use a bus for his memory containing more or less than 64 bits. Ryan's system would benefit using a smaller bus width bits by increasing the aerial density of his PCB, since less trace lines would be required to transfer data between the memory and the hub. The limitation of using an 18-bit wide memory bus (rather than 64 as expressly taught by Ryan) fails to define a patentably distinct invention over Ryan, since both the instant invention as a whole and Ryan's teachings are directed to optimizing the connections of multi-chip modules.

As for claim 16, Ryan teaches his modules includes a first pair of memory devices positioned adjacent a respective edge of the circuit board and a second pair positioned adjacent an diagonal opposite edge of the circuit board (Fig. 2., each memory pair (i.e. 212, 214) is arranged adjacent a pair located on a second edge of the board (i.e. 222, 220). Note, Though Ryan does not explicitly teach pairs of memory devices as being opposite on a diagonal from each other (rather they are opposite with respect to a horizontal and/or vertical axis), such a limitation is merely a matter of



design choice and would have been obvious in the system of Ryan. The mere positioning of opposite pairs (either being opposites with respect to a horizontal or diagonal axis of the board) fails to define a patentably distinct invention over Ryan since both the instant invention as a whole and Ryan's teachings are directed to optimizing the connections of multi-chip modules.

As for claim 17, though Ryan teaches his memory bus as being 64-bits wide rather than 18-bits as claimed by Applicant, (paragraph 0008, all lines), it would have been obvious to one of ordinary skill in the art for Ryan to use a bus for his memory containing more or less than 64 bits (i.e. 18 bits). Ryan's system would benefit using a smaller bus width bits by increasing the aerial density of his PCB, since less trace lines would be required to transfer data between the memory and the hub. The limitation of using an 18-bit wide memory bus (rather than 64 as expressly taught by Ryan) fails to define a patentably distinct invention over Ryan, since both the instant invention as a whole and Ryan's teachings are directed to optimizing the connections of multi-chip modules.

As for claims 2 and 11, Schumacher teaches a memory module wherein the first functional group of signals comprise data signals and the second functional group of signals comprise control-address signals (col. 3, lines 40-56).

As for claims 5, and 14, Ryan teaches the modules as including devices, each pair being positioned substantially perpendicular to adjacent pairs and located adjacent to a respective edge of the circuit board (see Fig. 3 – note though 8 devices are shown, the number could be more or less per paragraph 0021, final 11 lines of this paragraph).

Also note Ryan teaches pairs and being perpendicular with respect to each other (Fig. 2, memory pairs are located at 90 degree angles with respect to each of the four side). Despite these teachings, he fails however to teach the devices as being arranged in pairs, such that the first functional group of signals comprising data signals and the second functional group of signals comprising control-address signals. Schumacher however teaches this very configuration (as per the rejection of claims 1 and 2).

As for claim 27, Schumacher teaches the method of claim 26 wherein each memory device includes a pin 1 designated end and a first functional group of signals are adjacent this end of the device, and wherein the devices in each pair are positioned with the pin 1 designated ends substantially abut one another (just as stated above for the rejection of claim 2, the memory devices are arranged to keep similar functional pins together – col. 3, lines 40-56).

As for claim 28, Schumacher teaches the method of claim 27 wherein the first functional group of signals comprises data bus signals (as per the rejection of claim 2).

It would have been obvious to one of ordinary skill in the art at the time of the invention for Ryan to further include Schumacher's system of mirrored pin assignment for two sided multi-chip layout into his own system and method for optimizing interconnections of memory devices in a multichip module. By doing so, Ryan would be able to connect the memory devices of his memory system with a more simplified lead routing scheme, which in turn would lead to a reduction of the number of layers in the PCB as taught by Schumacher in col. 2 lines 35-39.

### ***Double Patenting***

6. The nonstatutory double patenting rejection is based on a judicially created doctrine grounded in public policy (a policy reflected in the statute) so as to prevent the unjustified or improper timewise extension of the "right to exclude" granted by a patent and to prevent possible harassment by multiple assignees. A nonstatutory obviousness-type double patenting rejection is appropriate where the conflicting claims are not identical, but at least one examined application claim is not patentably distinct from the reference claim(s) because the examined application claim is either anticipated by, or would have been obvious over, the reference claim(s). See, e.g., *In re Berg*, 140 F.3d 1428, 46 USPQ2d 1226 (Fed. Cir. 1998); *In re Goodman*, 11 F.3d 1046, 29 USPQ2d 2010 (Fed. Cir. 1993); *In re Longi*, 759 F.2d 887, 225 USPQ 645 (Fed. Cir. 1985); *In re Van Ornum*, 686 F.2d 937, 214 USPQ 761 (CCPA 1982); *In re Vogel*, 422 F.2d 438, 164 USPQ 619 (CCPA 1970); and *In re Thorington*, 418 F.2d 528, 163 USPQ 644 (CCPA 1969).

7. A timely filed terminal disclaimer in compliance with 37 CFR 1.321(c) or 1.321(d) may be used to overcome an actual or provisional rejection based on a nonstatutory double patenting ground provided the conflicting application or patent either is shown to be commonly owned with this application, or claims an invention made as a result of activities undertaken within the scope of a joint research agreement.

Effective January 1, 1994, a registered attorney or agent of record may sign a terminal disclaimer. A terminal disclaimer signed by the assignee must fully comply with 37 CFR 3.73(b).

Art Unit: 2188

8. Claims 1-30 are provisionally rejected on the ground of nonstatutory obviousness-type double patenting as being unpatentable over claim 37 of copending Application No. 11/417,389 (hereinafter Application '379) in view of Ryan (US PG Publication 2004/0044833 A1), and in further view of Schumacher (US Patent 5,502,621). The minor differences between claim 21 (selected as representative of the remaining base claims of the instant application as it is the most comprehensive of the set) of the instant application and claim 37 of the co-pending application are presented in the matrix below.

Art Unit: 2188

Instant Application 10/822,275	Co-pending Application 11/417,389
<b>Claim 21:</b>	<b>Claim 37:</b>
A computer system, comprising: <i>a data input device;</i>	A memory module, comprising:
<i>a data output device;</i>	
<i>a processor coupled to the data input and data output devices;</i>	
<i>a controller electrically coupled to the processor, the controller being operable to receive and transmit memory signals on a high-speed data link;</i>	
<i>at least one memory module coupled to the controller, each memory module comprising:</i>	
<i>a circuit board;</i>	<i>a circuit board;</i>
<i>a memory hub positioned on the circuit board;</i>	<i>a memory controller positioned on the circuit board;</i>
<i>a plurality of pairs of memory devices positioned around the memory hub and arranged in pairs on the same side of the circuit board as one another,</i>	<i>a plurality of memory devices positioned around the memory hub and arranged in pairs,</i>
<i>each memory device having the same physical layout including pins associated with a first functional group of signals adjacent a first end of each memory device and pins associated with a second functional group of signals adjacent a second end of each memory device, and the first end of each device in each pair being positioned substantially abutting one another on the circuit board;</i>	<i>each memory device having a first edge and a second edge opposite the first edge and further having a same arrangement of electrical terminals relative to the first and second edges, including a first group of electrical terminals to which first-type signals are coupled and a second group of electrical terminals to which second-type signals are coupled, the first group of electrical terminals positioned adjacent the first edge and the second group of electrical terminals positioned adjacent the second edge, the second edge of each device in a pair positioned adjacent a second edge of a memory device in one of the other pairs</i>
<i>and an edge connector positioned along an edge of the circuit board and coupled to the memory hub.</i>	<i>a connector coupled to the memory hub and configured to couple at least one of command, address, and data signals to the memory hub</i>

Note Ryan teaches several of the elements that claim 37 of Application '379

lacks, including:

a data input device (Fig. 3 (311));

a data output device (Fig. 3 (312));

a processor coupled to the data input and data output devices (Fig. 3

(304));

a controller electrically coupled to the processor, the controller being operable to receive and transmit memory signals on a high-speed data link (paragraph 0019, all lines);

a memory hub positioned on the circuit board (Fig. 3 element 208);  
memory devices on the same side of a circuit board (again, Fig. 3); and  
an edge connector positioned along the edge of the circuit board (memory modules are described as being DIMM devices – paragraph 0006, all lines).

It would have been obvious to one of ordinary skill in the art at the time of the invention for Application '379 to further include Ryan's system and method for optimizing interconnections of memory devices in a multichip module into his own system for mirroring memory devices. By doing so, Application '379 would be able to exploit the timing benefits of Ryan's system including minimizing skew, and maximizing signal integrity between the hub and memory devices by positioning them equidistant from a centralized hub as taught by Ryan in paragraphs 0012 through 0013, all lines.

Despite these teachings Ryan fails to teach each memory device being positioned in a pairs, in which the paired devices are arranged such that each respective device has the same pinout, yet one is rotated 180 degrees with respect to the board such that first and second sets of functional pins are substantially abutting each other.

Schumacher however teaches arranging ICs in a paired configuration such that one device is rotated 180 degrees with respect to the board – Fig. 4, devices 410 and 415 are ICs with the same pinout, just mirrored with respect to the vertical axis (i.e. 180

Art Unit: 2188

degree rotation). Schumacher teaches this configuration (i.e. chips substantially abutting one another) in order to keep similar functional pin groupings together (col. 3, lines 40-56).

It would have been obvious to one of ordinary skill in the art at the time of the invention for Application '379 to further include Schumacher's system of mirrored pin assignment for two sided multi-chip layout into his own system for mirroring memory devices. By doing so, Application '379 would be able to connect the memory devices of the memory system with a more simplified lead routing scheme, which in turn would lead to a reduction of the number of layers in the PCB as taught by Schumacher in col. 2 lines 35-39.

9. The remaining claims 1-20 and 22-30 are further rejected as being obvious over claim 37 of Application '379 in further view of Ryan (US PG Publication 2004/0044833 A1) in further view of Schumacher (US Patent 5,502,621). The minor differences between the copending claims and the pending claims of the instant application are rendered obvious in view of the combined teachings of Ryan and Schumacher based on the rationale set forth under the art rejections of these claims as discussed *supra*.

This is a provisional obviousness-type double patenting rejection because the conflicting claims have not in fact been patented.

***Response to Arguments***

10. As for claims 8 and 19 (with respect to the § 112(2) rejections), Applicant failed to address the previous rejections either in argument or by way of amendment; therefore these rejections are maintained and restated above.

11. Applicant's arguments with respect to rejections set forth under obviousness-type double patenting and 35 USC § 103(a) have been considered but they are not persuasive.

Applicant's general allegation that the rejection of claims 1-30 for obviousness-type double patenting is improper is rendered moot, as Examiner maintains that claims 1-30 are rendered obvious over Application '389 in view of Ryan (US PG Publication 2004/0044833 A1), and in further view of Schumacher (US Patent 5,502,621) per the rejections *supra*, and arguments *infra*.

12. The following applies to the previously asserted prior art rejections (35 U.S.C. § 103(a)).

Under the heading, "Discussion of the Cited References", Applicant asserts, "Schumacher teaches only integrated circuits arranged in rows, rather than surrounding a memory hub. Schumacher fails to teach that integrated circuits on the same side of the circuit board abut one another or are arranged in pairs that are perpendicular to adjacent pairs".

This argument however is not persuasive. Pursuant to MPEP § 2145 (IV.), "[o]ne cannot show nonobviousness by attacking references individually where the rejections are based on combinations of references. *In re Keller*, 642 F.2d 413, 208 USPQ 871



(CCPA 1981).” Applicant failed to address the combination of these teachings in these arguments, which Examiner maintains are combinable (including motivation to combine) as per the rejection above. Applicant has therefore not sufficiently rebutted Examiner’s properly asserted *prima facie* case of obviousness for these claims.

Continuing under this heading (page 11), Applicant asserts, “[a]s shown in Ryan... individual buses radiate outwardly from the memory hub and directly connect each memory device to the memory hub without crossing. There is therefore no possibility of crossover and no simplification would occur from using the arrangement of Schumacher. One skilled in the art would not see any use for using the arrangement of Schumacher with the device of Ryan – it would require rearrangement and reengineering without achieving the improvement claimed by Schumacher. It therefore would not be obvious to combine Schumacher and Ryan to achieve the disclosed embodiment.”

This argument however is not persuasive. Examiner maintains pursuant to MPEP § 2145 (III.), “[t]he test for obviousness is not whether the features of a secondary reference may be bodily incorporated into the structure of the primary reference.... Rather, the test is what the combined teachings of those references would have suggested to those of ordinary skill in the art.” *In re Keller*, 642 F.2d 413, 425, 208 USPQ 871, 881 (CCPA 1981).” One of ordinary skill in the art would quickly realize that the combination of Ryan in further view of Schumacher would result in a simplified bus routing for memory module configurations. Examiner maintains that it would have been obvious to one of ordinary skill in the art to combine the teachings of Schumacher with

Ryan in improve and simplify the lead routing scheme as per Schumacher in col. 2, lines 35-39.

Continuing on page 11, Applicant contends, "neither Schumacher nor Ryan teach arranging control-address lines at an angle relative to data lines... Ryan does not teach buses of differing angles extending to the same memory device. Ryan actually teaches against this approach. Ryan teaches that the arrangement disclosed is an alternative to devices which, for example, "increase path lengths of [a] command/address bus coupled to the [first] devices to make them equal to the command/address bus to the [second] devices."

These arguments however are not persuasive. These remarks merely amount to general assertions of patentability, rather than an argument specifically pointing out which *claim limitations* allegedly overcome the cited prior art. Assuming *arguendo*, Applicant demonstrated which claim/s allegedly contain/s this limitation. Examiner maintains that Ryan in view of Schumacher would render it obvious, because it is well known to a skill artisan that buses must extent at some sort of "angle", whether it be 0, 90, 180, 270, 360 degrees, or anywhere in between.

Under the heading, "Discussion of the Claims", Applicant asserts with respect to claim 1, "none of the cited references teach or suggest, in combination with the other limitations of claim 1, a memory module including "a plurality of memory devices positioned around the memory hub and arranged in pairs on the same side of the circuit board as one another, each memory device having the same physical pin layout and including pins associated with a first functional group of signals adjacent a first end of

each memory device and pins associated with a second functional group of signals adjacent a second end of each memory device, and the first end of each memory device in each pair being positioned adjacent one another on the circuit board and the second end of each device in a pair being positioned adjacent a second end of a device in one of the other pairs".

This argument however is not persuasive. More specifically, Examiner maintains the *combination* of Ryan and Schumacher in fact meet these limitations, namely arranging memory devices around a hub, and the first end of each memory device in each pair being positioned adjacent one another on the circuit board and the second end of each device in a pair being positioned adjacent a second end of a device in one of the other pairs. Examiner provides two drawings (labeled Drawing 1 and Drawing 2 in the Examiner's Drawing Appendix, *infra*) to help illustrate this point. Referring to Drawing 1, Ryan's Fig. 2 is reproduced to illustrate the two leftmost memory modules (elements 226 and 224), the top left and bottom left memory modules (elements 212 and 222 respectively), memory hub (element 208), memory module 206, and data busses (e.g. element 230). Further detail is provided for memory module 224 as a result of the combination of Ryan and Schumacher's teachings (see DETAIL at the bottom of the drawing). Examiner illustrates Schumacher's mirrored pinned configuration (as taught by Schumacher in Fig. 4) in this detail expansive view (e.g. mirrored pin assignment of chip 1 and chip 2). Examiner's Drawing 2 illustrates Ryan's memory modules 212 and 214 (i.e. the two topmost memory modules). It is clear from this drawing that side 2 of chip 2 in memory module 212 is adjacent to side 2 of chip 1

of memory 214, hence the limitation of "the first end of each memory device in each pair being positioned adjacent one another on the circuit board and the second end of each device in a pair being positioned adjacent a second end of a device in one of the other pairs " is met by this combination, Applicant's arguments notwithstanding.

Under the heading, "Discussion of the Claims" with respect to claim 10, Applicant sets forth a similar argument as discussed with claim 1, however further asserts, "none of the cited references teach or suggest in combination with the other limitations of the claim ... "the first ends of each memory device in each pair being positioned abutting on another on the circuit board".

This argument again is not persuasive, as Examiner construes "abutting" to mean, "to lie adjacent" based on his "broadest reasonable interpretation consistent with Applicant's specification" pursuant to MPEP § 2111. As such, Examiner's rebuttal argument that Ryan and Schumacher's combined teachings render the claims obvious as set forth with respect to claim 1 applies equally to Applicant's argument set forth against claim 10.

Under the heading, "Discussion of the Claims" with respect to claim 14, Applicant sets forth a similar argument as discussed with claim 1, however further asserts, "none of the cited references teach or suggest a memory module including four pairs of devices, each pair being positioned perpendicular to adjacent pairs and located adjacent a respective edge of the circuit board, and wherein the first functional group of signals comprise data signals and the second functional group of signals comprise control-address signals".

This argument again is not persuasive. Referring again to Examiner's Drawing 2, memory module (212) is perpendicular and adjacent to memory module (226). Ryan's Fig. 2 clearly illustrates at least four of these adjacent and perpendicular memory modules surrounding a memory hub. Likewise, referring again to Ryan's Fig. 2, memory modules (212) and (214) are adjacent and perpendicular to memory modules (226) and (224). Ryan teaches exactly four of these pairs around the memory hub (208) in Fig. 2.

Under the heading, "Discussion of the Claims" with respect to claim 21, Applicant sets forth a similar argument as discussed with claim 10, *supra* (i.e. Ryan and Schumacher allegedly fail to teach memory module pairs "abutting one another"). Examiner does not find this argument persuasive as per the arguments set forth in response to claim 10 above.

Under the heading, "Discussion of the Claims" with respect to claim 26, Applicant asserts that none of references teach, "positioning pairs of memory devices around the memory hub such that both devices in each pair are on the same side of the circuit board and each pair is perpendicular to adjacent pairs, each memory device in a respective pair being physically rotated 180 degrees in the plane of the circuit board relative to the other device in the pair".


This argument however is not persuasive. This argument is substantially similar to the ones set forth with respect to claim 10 and 14 (adjacency and perpendicularity, respectively), and is therefore not persuasive for the reasons set forth in Examiner's rebuttal arguments above. Applicant's assertion that each pair is not physically rotated

Art Unit: 2188

180 degrees in the plane of the circuit board is further not persuasive. Referring to Examiner's Drawing 2, it is clear that the mirrored pin configuration described is achieved by rotating one of the two identical memory device 180 degrees in the plane of the circuit board.

Lastly, Applicant's assertion on page 13 that claims 2-9, 11-13, 15-20, 22-25, and 27-30 are allowable for being dependant on allegedly allowable claims 1, 10, 21, and 26 is not persuasive, as Examiner maintains that the combined teachings of Ryan and Schumacher render all claims obvious as per the arguments and rejections, *supra*.


### ***Examiner's Drawing Appendix***



Ryan - Fig. 2 (212)

Ryan - Fig. 2 (214)

## **Drawing 2**



Schumacher - Fig. 4

**Drawing 1**

***Conclusion***

13. **THIS ACTION IS MADE FINAL.** Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

14. A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the mailing date of this final action.


15. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Craig E. Walter whose telephone number is (571) 272-8154. The examiner can normally be reached on 8:30a - 5:00p M-F.

16. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Hyung S. Souh can be reached on (571) 272-6799. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.



Art Unit: 2188

17. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Craig E Walter  
Examiner  
Art Unit 2188

CEW



HYUNG S. SOUGH  
SUPERVISORY PATENT EXAMINER

11/19/07